



SPARKY OIL & GAS COMPANY LLC

COMPANY ADDRESS: PO BOX 25163, DALLAS, TX, 75225, USA.

WhatsApp/Direct +1 (945) 407-0851

COMPANY NUMBER: 0801355267

EMAIL: sales@sparkyoil-gas.com

TO: BuyersMandate/ End Buyers Group

SOFT CORPORATE OFFER

"We, representing "SPARKY OIL & GAS COMPANY LLC" on behalf of our supplier, affirm our readiness, willingness, and capability to provide the specified quantities of petroleum products at the prices indicated below."

PRODUCT:	DIESEL D2
TRIAL QUANTITY:	100,000 MT – 200,000 MT
MONTHLY QUANTITY:	200,000 MT-500,000 MT x 12 MONTHS WITH R&E
CIF PRICE PER BARREL:	USD\$ 410.00 NET: \$400.00
COMMISSION:	\$10 (\$5 5)
PRODUCT:	DIESEL GASOIL EN590 (500PPM)
TRIAL QUANTITY:	100,000 MT – 200,000
MONTHLY QUANTITY:	200,000-500,000 MTx12 MONTHS WITH R&E
CIF PRICE PER MT:	GROSS USD\$410 NET: \$400.
COMMISSION:	\$10(\$5 5)
PRODUCT:	DIESEL GASOIL EN590 (50PPM)
TRAIL QUANTITY:	100,000 MT – 200,000 MT
MONTHLY QUANTITY:	200,000-500,000 MTx12 MONTHS WITH R&E
CIF PRICE PER BARREL:	\$410.00 GROSS \$400.00
COMMISSION:	\$10 (\$10 10)
PRODUCT:	LIGHT CYCLE (LCO)
TRIAL QUANTITY:	100,000 MT – 200,000
MONTHLY QUANTITY:	200,000 -300,000 MT x 12 MONTHS WITH R&E
CIF PRICE PER MT:	GROSS USD \$380 NET: USD \$ 370
COMMISSION:	\$10(\$5 5)



SPARKY OIL & GAS COMPANY LLC





SPARKY OIL & GAS COMPANY LLC

COMPANY ADDRESS: PO BOX 25163, DALLAS, TX, 75225, USA.

WhatsApp/Direct +1 (608) 209-2214

COMPANY NUMBER: 0801355267

EMAIL: info@sparkyoil-gas.com

PRODUCT:	PETROLEUM COKE
TRIAL QUANTITY:	100,000 MT 200,000 MT
MONTHLY QUANTITY	200,000 MT-300,000 MTx12 WITH R&E
CIF PRICE PER MT:	USD \$130 GROSS: \$120 NET
COMMISSION:	\$10 \$5 \$5)
PRODUCT:	COAL
TRIAL QUANTITY:	100,000 MT- 200.000 MT
MONTHLY QUANTITY:	200,000 MT- 300,000 MTx12 MONTHS WITH R&E
CIF PRICE PER MT:	USD\$ 130 GROSS \$120 NET
COMMISSION :	\$10 (\$5 \$5)
PRODUCT:	UREA (GRANULAR/PRILLED
TRIAL QUANTITY:	50,000 MT-100.000 MT
MONTHLY QUANTITY:	100,000 MT- 300,000 MTx12 MONTHS WITH R&E
PRICE PER MT	\$330 GROSS \$320 NET
COMMISSION	\$10 (\$5 \$5)
PRODUCT	LIQUEFIED NATURAL GAS (LNG)
TRIAL QUANTITY:	100,000 MT-200,000 MT
MONTHLY QUANTITY:	200,000MT – 300,000MTx12 MONTHS WITH R&E
PRICE PER MT	\$390 GROSS \$380 NET
COMMISSION	\$10 (\$5 \$5)





SPARKY OIL & GAS COMPANY LLC

COMPANY ADDRESS: PO BOX 25163, DALLAS, TX, 75225, USA.

WhatsApp/Direct +1 (608) 209-2214

COMPANY NUMBER: 0801355267

EMAIL: info@sparkyoil-gas.com

PRODUCT:	LIQUEFIED PETROLEUM GAS (LPG)
TRIAL QUANTITY:	100,000 MT – 200,000 MT
MONTHLY QUANTITY:	200,000 MT-500,000 MT x 12 MONTHS WITH R&E
CIF PRICE PER MT:	GROSS:USD \$ 390 NET: USD \$ 380
COMMISSION :	\$10 (\$5 \$5)
PRODUCT	EXPORT BLEND CRUDE OIL 9965-76(REBCO)
TRIAL QUANTITY:	500,000 -2,000,000 BBL
MONTHLY QUANTITY:	2,000,000BBL-3,000,000 x 12 MONTHS WITH R&E
CIF PRICE PER BARREL	\$84 GROSS \$80 NET
COMMISSION	\$4 (\$2 \$2)
PRODUCT:	AVIATION KEROSENE COLONIAL GRADE “54” JET FUEL
TRIAL QUANTITY:	1,000,000 BBL -2,000,000 BBL
MONTHLY QUANTITY:	2,000,000 -5,000,000 x 12 MONTHS WITH R&E
CIF PRICE PER BARREL:	GROSS USD \$78.00 MT. NET: USD \$74.00
COMMISSION :	\$4 (\$2 \$2)
PRODUCT:	EXPORT BLEND CRUDE OIL 51858-2002(REBCO)
TRIAL QUANTITY:	500,000 BBL- 2,000,000 BBL
MONTHLY QUANTITY:	2,000,000 BBL-3,000,000 BBL x 12 MONTHS WITH R&E
PRICE PER BARREL:	\$84 GROSS- \$80 NET
COMMISSION	\$10 (\$5 \$5)
PRODUCT	AUTOMOTIVE GAS OIL (AGO)
TRIAL QUANTITY:	100,000 MT -200,000 MT
MONTHLY QUANTITY:	200,000 MT-300,000 MT x 12 MONTHS WITH R&E
CIF PRICE PER MT:	\$10(\$5 \$5)





SPARKY OIL & GAS COMPANY LLC

COMPANY ADDRESS: PO BOX 25163, DALLAS, TX, 75225, USA.

WhatsApp/Direct +1 (608) 209-2214

COMPANY NUMBER: 0801355267

EMAIL: info@sparkyoil-gas.com

CIF TRANSACTION PROCEDURE

1. Buyer issue ICPO containing the seller's working procedure with buyer's banking details and scanned copy of buyer's passport
2. Seller issues Draft Sales and Purchase Agreement Contract (open for amendment) to buyer's review and signing.
3. Buyers sign the Sales and Purchase Agreement Contract back to the seller; Sellers acknowledge the signed contract and submit it with the ministry for legalization.
4. Seller send's partial POP to Buyer via email:
 - (a) Statement of Availability of Product
 - (b) Commitment to Supply
 - (c) Product Passport
 - (d) Certificate of Origin
5. Seller appoints and signs charter Party Agreement with the buyer and the shipping Company. Buyer pays 50% and Seller pays 50% to the shipping company for transporting of the product to buyer's final discharge port.
6. Seller swift the full POP and 2% Performance Bond to buyer's bank. Buyer's Bank swift in return, the Irrevocable Non Transferable Documentary Letter of Credit to the Seller's Bank
7. Shipment commences as scheduled in the contract and upon arrival of the cargo at the discharge port and after SGS/Q&Q or Equivalent inspection immediately Buyer's Bank releases the Total value of the shipping to Seller's Bank within 48hours (two banking days) By MT103.
8. Buyer / Seller pays all intermediaries involved in transaction as per IMFPA within 48 hours.

CIF GENERAL TRANSACTION PROCEDURE

1. Buyer issues Irrevocable Corporate Purchase Order, must be on company letterhead along with:
 - (A) Details of Buyer's Corporate Bank
 - (B) Details of Buyer's SBLC MT760 issuing bank + KYC of issuing bank
 - (C) Copy of Buyer's Passport
 - (D) Copy of Buyer's company Registration
2. Seller issues Draft Contract (open for any amendments) to Buyer. The Buyer returns the endorsed copy of the SPA for Seller's final endorsement along with a Bank Confirmation Letter from the Buyer's bank for the Seller's bank agreed verbiage.
3. Seller issues Commercial Invoice to Buyer, within 5 banking days Buyer Bank shall issue pre-advice MT 199 or MT799 swift message to seller receiving account to enable the seller secure and retain the product allocation under the buyer's company name and issue the following PPOP documents.
 - (A) Commitment to Supply
 - (B) Statement of availability of product
 - (C) Product Certificate of origin
4. Within 5 banking days, Buyer's bank send Irrevocable Operative SBLC via MT760 for the value of first Shipment to sellers nominated fiduciary offshore bank account in a format acceptable to seller/seller's Bank. Note: If and should Buyer fail to issue payment instrument within 5 banking days, Buyer must make cash deposit of \$500,000 USD by TT wire transfer for security guarantee to enable seller retain allocation in favor of Buyer and commence loading for product transportation to Buyer's destination. This payment will be deducted from the total product cost after inspection at discharge port, or legal action will be taken against the buyer for default.



SPARKY OIL & GAS COMPANY LLC

COMPANY ADDRESS: PO BOX 25163, DALLAS, TX, 75225, USA.

WhatsApp/Direct +1 (608) 209-2214

COMPANY NUMBER: 0801355267

EMAIL: info@sparkyoil-gas.com

5. Seller's bank issues full POP documents to buyer's bank alongside with 2% Performance Bond (PB2%)
 - Copy of License to Export.
 - Copy of Approval to Export.
 - Copy of Statement of Availability of the product.
 - Copy of the refinery commitment to produce the product.
 - Copy of Contract to transport the product to the loading port.
 - Copy of the port storage agreement.
 - Copy of the charter party agreement to transport product to discharge port.
 - Copy of Vessel Questionnaire 88.
 - Copy of Bill of Lading.
 - SGS Report at loading port.
 - Dip test Authorization (DTA) & ATB.
 - NOR /ETA.
 - Certificate of Ownership Transfer.
 - Allocation Transaction Passport Code Certificate (ATPCC) by Ministry of Energy.
6. Shipment commences as per signed contract delivery schedule and the shipment should arrive at Buyer's discharge port within 5-24 days. The SGS inspection will be borne by the seller at loading seaport and buyer at the unloading seaport.
7. Buyer releases payment to seller by TT/MT103 upon receipt of the shipping documents and confirmation of the Q&Q by SGS/CIQ at destination.
8. Seller within seventy-two (72) pays commission to all intermediaries involved as per signed NCNDA / IMFPA.

ANALYTICAL PRODUCT SPECIFICATIONS JET FUEL A1

PROPERTIES	UNIT	RESULT	TEST-IP	METHOD	ASTM
ADDITIVES					
Anti-oxidant hydro processed fuel	Mg/I	Min	17		
Anti oxidant non hydro processed fuel	Mg/I	Max	24		
Static dissipater first doping ASA-3	Mg/I	Min	24		
Stadis450	Mg/I	Min	1		
COMBUSTION PROPERTIES					



SPARKY OIL & GAS COMPANY LLC

COMPANY ADDRESS: PO BOX 25163, DALLAS, TX, 75225, USA.

WhatsApp/Direct +1 (608) 209-2214

COMPANY NUMBER: 0801355267

EMAIL: info@sparkyoil-gas.com

Smoke point	mj/lkg	Min	18.4		D4808
Specific energy, net	Mm	Min	19		D1322
Lumin omitter number		Min	45		D1740
Naphthalene	% volume	Max	3		D1840
COMPOSITION					
Total Acidity	mgKOH/g	Max	0.01	354	D3242
Aromatics	% vol	Max	22	158	D1318
Sulphur, Total	% mass	Max	0.30	107	D1266/2622
Sulphur, Mercaptan	% mass	Max	0.003	342	D3227
Doctor, test				30	D4952
VOLATILITY					
Initial Boiling Point	Centigrade	Max	Report	176	D96
10% vol at C			210		
20% vol at C			Report		
50% vol at C			Report		
80% vol at C			Report		
Endpoint	Centigrade	Max	300		
Recovered residuals	% Vol	Max	1.5		
Loss	% Vol	Max	1.5		
Flash Point	Centigrade	Max	42	170/303	D56/3828
Densityat15 C	Kg/m ²	min/max	776/840	180/305	D1256
LOW TEMPERATURE					
Freezing Point	Centigrade	Max	-47	15	D2256
CORROSION					
Corrosion, copper(2hrs at 100C)		Max	1	154	D130
Corrosion, silver(4hrs at 50C)		Max	1	227	
Thermal stability control, Temp.280C					
Filter pressure, differential mm.Hg		Max	323		
Tube deposit rating(visual)		Max	25	<3	
CONTAMNATIONS					
Existent Gum	mg/100ml	Max	7	131	D361
Water reaction, interface rating		Max	16	258	D1084
Fuel with static dissipater additives		Min	75		D3648
Fuel without static dissipater additive		Min	85		





SPARKY OIL & GAS COMPANY LLC

COMPANY ADDRESS: PO BOX 25163, DALLAS, TX, 75225, USA.

WhatsApp/Direct +1 (608) 209-2214

COMPANY NUMBER: 0801355267

EMAIL: info@sparkyoil-gas.com

ANALYTICAL PRODUCTS SPECIFICATIONS DIESEL D6 VIRGIN LOW POUR FUEL OIL

Method Units	Test	Result	Unit
ASTM D5002	Crude Oils		
	Average API Gravity		
ASTM D1298-99	Density @ 15 Deg C	0.87 (0.8775) (Max)	Kg/t
ASTM D97	Pour Point of Petroleum Products	< -33 (-36) (BELOW ZERO)	
	Pour Point	< -27.4 (-32.8) (BELOW	°C
	Pour Point	ZERO)	°F
ASTM D93-IP34	Pensky-Martens Closed Cup Flash		
	Point	117 (137) (MIN)	°F
ASTM D4294	Sulfur Content in Petroleum Products by EDXRF		
	Sulfur Content	0.38 (0.358) (MAX)	Wt%
ASTM D445	Kinematic/Dynamic Viscosity		
	Kinematic Viscosity@ 122°F /50°C	17.83 (18.12) (MAX)	Mm ² /s
ASTM D6304	Water Content by Coulometric		
	Karl Fisher Titration		
	Water Content	0.20 (0.7) (MAX)	Wt%
ASTM D482	Ash from Petroleum Products		





SPARKY OIL & GAS COMPANY LLC

COMPANY ADDRESS: PO BOX 25163, DALLAS, TX, 75225, USA.

WhatsApp/Direct +1 (608) 209-2214

COMPANY NUMBER: 0801355267

EMAIL: info@sparkyoil-gas.com

	Average Ash	0.279 (1.007) (MAX)	Wt%
ASTM D2161	Conversion of Kinematic Viscosity	10.9SFS	(MAX)
	To SUS/SFS 1Saybolt furoi		
	viscosity 122°F		
ASTM D5184	Aluminum and Silicon in Fuel Oils		
	by ICP-AES or AAS		
	Aluminum Content	102 (MAX)	Mg/kg
	Silicon Content	93 (MAX)	Mg/kg
ASTM D95	Water by Distillation, Vol%	0.70 (MAX)	Vol%
ASTM D4530.06	Carbon Residue	1.11 (MAX)	Wt%
Method Test Result Units			
IP 143 Asphlteness Heptane In solubles			
	Asphaltene Content	0.08	Wt%
IP 501 Determination of AL, Si, V, Ni, Fe, Na, Ca, Zn, P in Fuel Oil-ICPES			
	Aluminum	372	mg/kg
	Silicon	187	mg/kg
	Sodium	117	mg/kg
	Vanadium	1	mg/kg
	Calcium	779	mg/kg
	Zinc	298	mg/kg
	Phosphorus	4176	mg/kg
	Iron	545	mg/kg

DIRECTOR: MRS. KATHRYN MARGARET HUGHES



STAMP & SIGNATURE:



SPARKY OIL & GAS COMPANY LLC

