



SPARKY OIL & GAS COMPANY LLC

COMPANY ADDRESS: PO BOX 25163, DALLAS, TX, 75225, USA.

TEL: +1 (608) 209-2214

COMPANY REG. NUMBER: 0801355267

Email: info@sparkyoil-gas.com

ISSUED: 15/06/2026

TO: END BUYERS GROUPS

SOFTCORPORATEOFFER

We, **SPARKY OIL & GAS COMPANY LLC**, acting in our capacity as the authorized representative of the supplier, hereby confirm and declare our readiness, willingness, and capacity to supply the specified quantities of the petroleum products identified herein, subject to the terms, conditions, specifications, and pricing set forth in this offer and the execution of mutually acceptable contractual documentation.

PRODUCT:	DIESEL D6 VIRGIN LOW POUR FUEL OIL
ORIGIN:	UNITED STATES OF AMERICA
QUANTITY:	25,000,000 GALLON – 50,000,000 GALLONS ON A YEARLY CONTRACT
FOB PRICE:	\$1.00 GROSS / 0.98 NET PER GALLON
COMMISSION:	\$0.1 SELLER SIDE / 0.1 BUYER SIDE
PRODUCT:	AVIATION TURBINE FUEL (JET A-1)
ORIGIN:	UNITED STATES OF AMERICA
QUANTITY:	1,000,000 BBLS - 10,000,000 BBLS ON A YEARLY CONTRACT
FOB PRICE:	\$1200.00 GROSS / \$1195.00 NET PER BARREL
COMMISSION:	\$5/\$5
PRODUCT:	DIESEL GASOLINE EN590 10PPM ULSD 10
ORIGIN:	UNITED STATES OF AMERICA
QUANTITY:	100,000 MT – 10,000,000MT ON A YEARLY CONTRACT
FOB PRICE:	\$1200.00 GROSS / \$1190.00 NET PER MT
COMMISSION:	\$10/\$10

NON NEGOTIABLE TANK TO VESSEL FOB TRANSACTION PROCEDURE HOUSTON/ ROTTERDAM

1. BUYER ISSUES ICPO WITH BANKING DETAILS COMPLIANT TO SELLER'S TERMS AND PROCEDURES INCLUDING BUYER'S COMPANY REGISTRATION CERTIFICATE AND COMPANY PROFILE (CP).
2. SELLER ISSUES COMMERCIAL INVOICE (C.I.), BUYER SIGNS WITHIN 24 HOURS AND RETURNS TO SELLER WITHIN ITS VALIDITY.
3. UPON RECEIPT AND REVIEW OF THE SIGNED C.I., SELLER ISSUES BELOW PPOP DOCUMENTS
 - (I) STATEMENT OF PRODUCT AVAILABILITY (COPY)
 - (II) ASSURANCE LETTER TO SUPPLY



SPARKY OIL & GAS COMPANY LLC





SPARKY OIL & GAS COMPANY LLC

COMPANY ADDRESS: PO BOX 25163, DALLAS, TX, 75225, USA.

TEL: +1 (608) 209-2214

COMPANY REG. NUMBER: 0801355267

Email: info@sparkyoil-gas.com

(III) UNCONDITIONAL DIP TEST AUTHORIZATION (D.T.A) TO BE ENDORSED BY BUYER AND SELLER'S TANK FARM LOGISTICS WHERE THE PRODUCTS ARE STORED. BUYER CONTACT AND OPEN COMMUNICATION WITH THE TANK FARM LOGISTICS AND PAYS TO EXTEND OR TAKE OVER TANKS VIA MT103/TT WIRE TRANSFER FOR THE NUMBER OF DAYS REQUIRED FOR PHYSICAL VERIFICATION AND IMMERSION/DIP TEST ON THE PRODUCT QUALITY AND QUANTITY ANALYSIS INSIDE SELLER'S TANK PRIOR TO INJECTION OF THE COMMODITY FROM SELLER'S TANKS TO BUYER'S VESSEL.

4. BUYER RETURNS THE DIP TEST AUTHORIZATION (DTA) FULLY COMPLETED AND SIGNED WITHIN THE VALIDITY AND UPON SUCCESSFUL REVIEW OF THE COMPLETED DTA, SELLER ISSUES THE BELOW FULL POP DOCUMENTS: -

I. FRESH SGS REPORT (NOT OLDER THAN 48 HOURS)

II. PRODUCT RESERVOIR RECEIPT

III. ACCREDITATION CERTIFICATE

IV. PRODUCT PASSPORT (QUANTITY AND QUALITY ANALYSIS)

V. AUTHORIZATION TO SELL AND COLLECT CERTIFICATE (ATSC)

VI. INJECTION REPORT

VII. CERTIFICATE OF PRODUCT ORIGIN

VIII. AUTHORIZATION TO VERIFY (ATV) THE PRODUCT

5. UPON RECEIPT AND CONFIRMATION OF THE ABOVE POP DOCUMENTS, BUYER PROVIDE TO THE SELLER CHARTER PARTY AGREEMENT (CPA), VESSEL DETAILS (Q88), SELLER RELEASE OFFICIAL NOTICE OF READINESS TO INJECT. SELLER COMMENCES INJECTION TO BUYER'S VESSEL AND ISSUE INJECTION REPORT TO BUYER.
6. UPON THE CONFIRMATION OF THE TOTAL QUANTITY INJECTED INTO BUYERS' VESSEL, BUYER MAKES FULL PAYMENT BY MT103/TT WIRE TRANSFER FOR THE TOTAL PRODUCT AND SELLER PAYS COMMISSION TO ALL INTERMEDIARIES INVOLVED IN THE TRANSACTION WITHIN 24 HOURS AFTER CONFIRMATION OF BUYER'S PAYMENT.
7. SELLER ISSUES CONTRACT FOR MONTHLY DELIVERY UPON SUCCESSFUL COMPLETION OF THE TRIAL ORDER.

NON-NEGOTIABLE FOB TANK TO TANK TRANSACTION PROCEDURE

1. THE BUYER ISSUE ICPO WITH HIS INTERNATIONAL PASSPORT COPY (DATA PAGE) TO THE SELLER.
2. THE SELLER ISSUES COMMERCIAL INVOICE (CI) FOR THE AVAILABLE QUANTITY IN THE SELLER'S STORAGE TANK TO THE BUYER. THE BUYER SIGNS AND RETURN THE CI TO THE SELLER WITH BUYER'S SIGNED TANK STORAGE AGREEMENT (TSA) FOR THE SELLER'S AUTHORITY TO VERIFY AND APPROVE.
3. THE SELLER RELEASES THE POP DOCUMENTS AS BELOW AND SENDS TO THE BUYER.
- I. COMMITMENT TO SUPPLY
 - II. CERTIFICATE OF ORIGIN
 - III. NOTICE OF READINESS
 - IV. UNCONDITIONAL DTA
 - V. FRESH SGS (NOT OLDER THAN 48 HOURS)
 - VI. ATSC – AUTHORITY TO SELL AND COLLECT



SPARKY OIL & GAS COMPANY LLC





SPARKY OIL & GAS COMPANY LLC

COMPANY ADDRESS: PO BOX 25163, DALLAS, TX, 75225, USA.

TEL: +1 (608) 209-2214

COMPANY REG. NUMBER: 0801355267

Email: info@sparkyoil-gas.com

4. THE BUYER CONDUCTS DIP TEST IN THE SELLER'S TANK TO COMMENCE INJECTION OF PRODUCT INTO THE BUYER'S TANK.
5. WITHIN TWENTY-FOUR (24) HOURS, BUYER ISSUES 100% TT WIRE TRANSFER PAYMENT TO THE SELLER. THE SELLER TRANSFERS THE TITLE OWNERSHIP TO THE BUYER.
6. THE SELLER PAYS COMMISSION TO ALL THE INTERMEDIARIES.

ANALYTICAL PRODUCT SPECIFICATIONS JET FUEL A1

PROPERTIES	UNIT	RESULT	TEST-IP	METHOD	ASTM
ADDITIVES					
Anti oxidantin hydro processed fuel	Mg/l	Min	17		
Anti oxidantnon hydro processed fuel	Mg/l	Max	24		
Static dissipater first doping ASA-3	Mg/l	Min	24		
Stadis450	Mg/l	Min	1		
COMBUSTION PROPERTIES					
Smoke point	mj/lkg	Min	18.4		D4808
Specific energy, net	Mm	Min	19		D1322
Lumin omitter number		Min	45		D1740
Naphthalene	%volume	Max	3		D1840
COMPOSITION					
Total Acidity	mgKOH/g	Max	0.01	354	D3242
Aromatics	%vol	Max	22	158	D1318
Sulphur, Total	%mass	Max	0.30	107	D1266/2622
Sulphur, Mercaptan	%mass	Max	0.003	342	D3227
Doctor, test				30	D4952
VOLATILITY					
Initial Boiling Point	Centigrade	Max	Report	176	D96
10%vol at C			210		
20%vol at C			Report		
50%vol at C			Report		
80%vol at C			Report		
Endpoint	Centigrade	Max	300		
Recovered residuals	%Vol	Max	1.5		
Loss	%Vol	Max	1.5		
Flash Point	Centigrade	Max	42	170/303	D56/3828
Densityat15 C	Kg/m2	min/max	776/840	180/305	D1256
LOW TEMPERATURE					
Freezing Point	Centigrade	Max	-47	15	D2256
CORROSION					
Corrosion, copper(2hrs at 100C)		Max	1	154	D130
Corrosion, silver(4hrs at 50C)		Max	1	227	
Thermal stability control, Temp. 280C					
Filter pressure, differential mm.Hg		Max	323		
Tube deposit rating (visual)		Max	25	<3	
CONTAMINATIONS					





SPARKY OIL & GAS COMPANY LLC

COMPANY ADDRESS: PO BOX 25163, DALLAS, TX, 75225, USA.

TEL: +1 (608) 209-2214

COMPANY REG. NUMBER: 0801355267

Email: info@sparkyoil-gas.com

Existent Gum	mg/100ml	Max	7	131	D361
Water reaction, interface rating		Max	16	258	D1084
Fuel with static dissipater additives		Min	75		D3648
Fuel without static dissipater additive		Min	85		

ANALYTICAL PRODUCTS SPECIFICATIONS DIESEL D6 VIRGIN LOW POUR FUEL OIL

Method Units	Test	Result	Unit
ASTM D5002			
	Crude Oils		
	Average API Gravity		
ASTM D1298-99	Density @15 Deg C	0.87 (0.8775) (Max)	Kg/t
ASTM D97	Pour Point of Petroleum Products	< -33 (-36) (BELOW ZERO)	
	Pour Point	< -27.4 (-32.8) (BELOW	°C
	Pour Point	ZERO)	°F
ASTM D93-IP34	Pensky-Martens Closed Cup Flash		
	Point		
	Corrected Flash Point	117 (137) (MIN)	°F
ASTM D4294	Sulfur Content in Petroleum		
	Products by EDXRF		
	Sulfur Content	0.38 (0.358) (MAX)	Wt%
ASTM D445	Kinematic/Dynamic Viscosity		
	Kinematic Viscosity @ 122°F / 50°C	17.83 (18.12) (MAX)	Mm2/s
ASTM D6304	Water Content by Coulometric		
	Karl Fisher Titration		
	Water Content	0.20 (0.7) (MAX)	Wt%
ASTM D482	Ash from Petroleum Products		



SPARKY OIL & GAS COMPANY LLC





SPARKY OIL & GAS COMPANY LLC

COMPANY ADDRESS: PO BOX 25163, DALLAS, TX, 75225, USA.

TEL: +1 (608) 209-2214

COMPANY REG. NUMBER: 0801355267

Email: info@sparkyoil-gas.com

	Average Ash	0.279 (1.007) (MAX)	Wt%
ASTM D2161	Conversion of Kinematic Viscosity	10.9SFS	(MAX)
	To SUS/SFS 1Saybolt furoi		
	viscosity 122°F		
ASTM D5184	Aluminum and Silicon in Fuel Oils		
	by ICP-AES or AAS		
	Aluminum Content	102 (MAX)	Mg/kg
	Silicon Content	93 (MAX)	Mg/kg
ASTM D95	Water by Distillation, Vol%	0.70 (MAX)	Vol%
ASTM D4530.06	Carbon Residue	1.11 (MAX)	Wt%
Method Test Result Units			
IP 143 Asphlteness Heptane In solubles			
	Asphaltene Content	0.08	Wt%
IP 501 Determination of AL, Si, V, Ni, Fe, Na, Ca, Zn, P in Fuel Oil-ICPES			
	Aluminum	372	mg/kg
	Silicon	187	mg/kg
	Sodium	117	mg/kg
	Vanadium	1	mg/kg
	Calcium	779	mg/kg
	Zinc	298	mg/kg
	Phosphorus	4176	mg/kg
	Iron	545	mg/kg

DIRECTOR: MRS. KATHRYN MARGARET HUGHES



STAMP & SIGNATURE:



SPARKY OIL & GAS COMPANY LLC

